Hawaii Ocean Time-series HOT-174 General Cruise Plan

Vessel: R/V *Kilo Moana*, University of Hawaii Master of the Vessel: Captain Rick Meyer

Chief Scientist: Thomas K. Gregory, University of Hawaii STAG Marine Technicians: Tim McGovern and Gabe Foreman

Loading: Oct. 5, 2005 @ 0900 HST Departure: Oct. 6, 2005 @ 0900 Arrival: Oct. 11, 2005 @ 0800

1.0 SCIENTIFIC OBJECTIVES

The objective of the cruise is to maintain a collection of hydrographic and biogeochemical data at the Hawaii Ocean Time-series (HOT) stations. Five stations will be occupied during the cruise, in the following order:

- 1) Station 1, referred to as Station Kahe, is located at 21° 20.6'N, 158° 16.4'W and will be occupied on the first day of the cruise for about 2 hours.
- 2) Station 2, referred to as Station ALOHA is defined as a circle with a 6 nautical mile radius centered at 22° 45′N, 158°W. This is the main HOT station and will be occupied during the 2nd, 3rd, and 4th days of the cruise.
- 3) Station 51, is the site of the MOSEAN Mooring, located at 22° 45′N, 158° 6′W will be occupied on the 5th day of the cruise for about 30 minutes.
- 4) Station 50 is the site of the WHOTS Mooring, is located at 22° 46.1′N, 157° 53.4′W and will be occupied on the 5th day of the cruise for about 2 hours.
- 5) Station 6, referred to as Station Kaena, is located off Kaena Point at 21° 50.8'N, 158° 21.8'W will be occupied on the 5th day of the cruise for about 2 hours.

A -4:--:4:--

1.1 SCIENTIFIC OPERATIONS

C404:00

Station	Activities
Kahe (sta. 1)	Weight Cast, PRR cast, CTD cast (1000 m)
ALOHA (sta. 2)	Sediment traps, net tows, CTD operations, primary
	productivity measurements, AC9/FRRf, misc. experiments
MOSEAN mooring station	CTD cast (200 m)
(sta. 51)	
WHOTS mooring station	CTD cast (200 m), small boat ops for repair of
(sta. 50)	anemometer
Kaena (sta. 6)	CTD cast (2400 m)
Underway/continuous	ADCP, thermosalinograph, fluorometry, meteorology

2.0. SCIENCE PERSONNEL

Participant Title Affiliation/HOT Group

Bjorkman, Karin	UH/BEACH	Research Specialist
Bullister, John	PMEL/PO	Scientist
Church, Matthew	UH/BEACH	Research Oceanographer
Curless, Susan	UH/BEACH	Research Associate
Doggett, Ken	UH/BEACH	Research Associate
Foreman, Gabe	UH/STAG	Marine Technician
Fujieki, Lance	UH/BEACH	Computer Specialist
Grabowski, Eric	UH/BEACH	Research Associate
Gregory, Thomas	UH/BEACH	Chief Scientist
Harlan, Adriana	UH/BEACH	Research Associate
Huisman, Jef	NIOO/BEACH	Scientist
Laney, Sam	OSU/BEACH	Graduate Student
Lethaby, Paul	UH/PO	Research Associate
Mahaffey, Claire	UH/BEACH	Scientist
McGovern, Tim	UH/STAG	Marine Technician
Rognstad, Mark	UH/HMRG	Engineer
Sadler, Dan	UH/BEACH	Research Associate
Santiago - Mandujano, Fernando	UH/PO	Research Associate
Shacat, Joseph	UH/PO	Research Associate
Stal, Lucas	NIOO/BEACH	Scientist
Stomp, Maayke	NIOO/BEACH	Scientist
Tottori, Steve	UH/PO	Electronics Technician
Watkins, Blake	UH/BEACH	Marine Engineer
Wisegarver, Dave	PMEL/PO	Research Associate

3.0. SUMMARY SCHEDULE

3 Oct. Pre-cruise meeting5 Oct. Ship loading starting at 0900 hrs

6 Oct. Depart from Snug harbor at 0900 hrs. Science personnel on-board

by 0830.

6 Oct. Station 1 Kahe Pt. operations

7-10 Oct. Station ALOHA operations. Station 51 CTD cast. Station Kaena

CTD cast

11 Oct. Arrive back to Snug harbor. ETA 0800 hrs, full offload

4.0. OPERATIONAL PLANS

4.1. Station Kahe (21°20.6'N, 158°16.4'W)

A 400 lb. weight-test cast, one CTD cast to 1000 m, and a PRR cast (Sect. 4.2.7) will be conducted at this location in the afternoon of Oct. 6. The CTD winch and crane will be required for these operations. After the operations are satisfactorily completed, the ship shall proceed to Station ALOHA.

4.2. Station ALOHA (22°45'N, 158°W with 6 nm radius)

4.2.1. Upon arrival to Station ALOHA, A series of CTD casts will commence.

4.2.2. Sediment trap deployment

At midnight on Oct. 8, the floating sediment traps will be deployed at a location within Station ALOHA which will be determined by local current conditions to be determined enroute to ALOHA. The array will be deployed from the stern using the A-frame and our Seamac winch. Power requirement for the winch is 440 VAC, three phase at 10 amps. After deployment we request that the Bridge verify that the radio transmitters are functioning and directionally correct.

The array will drift for about 52 hours before recovery. The array is equipped with 2 ARGOS satellite transmitters (platform #s 01325 and 01833), 2 strobe lights, and 2 radio transmitters (channel 74, 156.725 MHz). Daily positions of the array shall be transmitted by email directly to the ship, therefore the ship will not need to keep within site of the array until the time of the recovery. Assistance from the bridge is requested in plotting the drift track of the array. We request the use of the ship's radio direction finder for locating the array before recovery.

After deployment of the sediment trap array, the ship shall return to the center of Station ALOHA to deploy the gas array.

4.2.3 Gas Array

Samples for the gas array will be collected from cast 1 and 2. We request the use of the A-frame for this operation and will also use the Seamac winch. The array is equipped with a strobe light and a radio transmitter (frequency to be provided).

4.2.4. Water column measurements

Vertical profiles of temperature, conductivity and dissolved oxygen will be made with an instrument package consisting of a Sea-Bird CTD attached to a 24-place rosette with 12 liter sampling bottles. We need the ship's CTD winch and crane for this operation. Water samples for biogeochemical measurements will also be collected on each cast. Beginning with cast 9, a series of 1000-m casts shall be made continuously every 3 hours for a 36-hour period, ending with a third near-bottom cast. It is highly desired that this burst sampling be done without interruption and we request the ship to maintain position within the study area for that period of time, and repositioning to the center of the Station before each cast whenever possible.

4.2.5. Primary production experiment

Samples for the primary productivity experiment will be collected from the rosette (cast 14). Just before dawn (sunrise 0626 hrs on Oct. 9), a third free drifting incubation array will be deployed from the stern. We request the use of the A-frame for this operation and will also use the DSE winch. The array is equipped with strobe lights and a radio transmitter (channel 72, 156.625 MHz). The ship shall keep within site of the array while performing CTD operations for the approximately 12-hour duration the array will be in the water. The array will be recovered just at sunset (1811). CTD operations shall continue after recovery. All radioactive waste generated by the experiment shall be returned to the University of Hawaii. Only qualified personnel shall handle radioactive material.

4.2.6. Plankton net tows

Plankton nets will be deployed from the stern and shall be towed for half-hour periods. Half-hour periods are scheduled at around noon and midnight on Oct. 9 The A-frame and trawl winch will be needed for this operation.

4.2.7. Profiling Reflectance Radiometer (PRR) and Ramses.

Around noon on each day a profiling reflectance radiometer will be deployed from the main deck using the main crane. The instrument is hand-lowered and retrieved with assistance from the Seamac winch. The Ramses is a similar instrument and operations will be nearly identical to PRR deployments.

4.2.8. AC9/FRRf

The Wet Labs AC9 is an optical instrument that measures water column spectral absorption and attenuation at nine wavelengths. The AC9 package also includes a Fast Repetition Rate Fluorometer (FRRf), and a Sea-Bird Seacat with temperature, conductivity, fluorometer, and pressure sensors. The package will be deployed to a target depth of 250 m at a constant speed of 10 m/min during the downcast and upcast. We request the use of the ship's trawl winch and A-frame for this operation.

4.3 Floating sediment trap recovery

On Oct. 10, after the morning AC9/FRRf cast has been completed, we shall transit for the recovery of the sediment trap array. The main crane and the Seamac winch will be needed to retrieve the sediment trap array. After the array is recovered, the ship shall transit to Station 51 to conduct one 200 m CTD cast.

4.4 Mooring Operations

4.4.1 MOSEAN Mooring (Station 51)

One 200-m CTD cast will be conducted near the MOSEAN Mooring (Station 50). The cast should be conducted downwind, downcurrent, and at about 200 m from the mooring. The nominal position of the mooring is 22° 45′N, 158° 6′W. After this cast is completed, the ship shall transit to Station 50.

4.4.2 WHOTS Mooring (Station 50)

One 200 m cast will be conducted at this mooring as described above for MOSEAN mooring. Additionally, we need to repair an anemometer on this mooring and request the use of

the small boat for this operation. After this operation is completed, the ship shall transit to Station Kaena.

4.5 Station Kaena (21° 50.8'N, 158° 21.8'W)

A near-bottom CTD cast (~2500 m) will be conducted at this location in the evening of June 16, after which the ship shall return to Snug harbor.

4.6 Acoustic Doppler Current Profiler

The ship's acoustic Doppler current profiler (ADCP) will be in operation during the duration of the cruise. The STAG electronics technician will be in charge of the ADCP system.

4.7 Thermosalinograph and Fluorometer

The ship's thermosalinograph and fluorometer sampling the uncontaminated seawater supply system will be in operation during the duration of the cruise while the ship is outside of Snug harbor. Salinity samples to calibrate the thermosalinograph will be taken from the intake hose at 4-hour intervals throughout the duration of the cruise by the science personnel. The STAG electronics technician will be in charge of the thermosalinograph operation.

5.0 EQUIPMENT

5.1 The HOT science party shall be bringing the following

- 1. Seabird CTD system, all sensors, deck boxes and computer CTD acquisition systems.
- 2. 24-place rosette with 12-l water sampling bottles, all spare parts
- 3. Two laboratory vans with assorted equipment for radioisotope and general use
- 4. Distilled, deionized water and all required chemicals and isotopes
- 5. Storage van with assorted equipment (main deck)
- 6. Large vacuum waste container
- 7. Liquid nitrogen dewers
- 8. Drifting sediment trap array with strobe lights, satellite and radio transmitters, floats, weights
- 9. Kevlar line, polypropylene line
- 10. Sediment traps and crosses
- 11. Drifting primary production array with light and radio transmitter, floats, weights, polypro. Line, spare buoy, etc.
- 12. PRR, AC-9/FRRf and other optical measuring instruments.
- 13. DSE winch (440 VAC, 3 phase at 10 amps) and Kevlar line
- 14. Oxygen titration system
- 15. Plankton nets and towing lines
- 16. Desktop and laptop personal computers
- 17. Assorted tools
- 18. All required sampling bottles.
- 19. Deck incubation system
- 20. 400 lb weight.
- 21. Pertinent MSDS

5.2. We will need the use of the following ship's equipment:

- 1. A-frame
- 2. A-frame block assembly
- 3. Appleton crane and winch with conducting wire for CTD
- 4. Electric power for winches (440 VAC three phase at 10 amps) and vans (208 VAC single phase at 30 amps for labvan, 110 VAC 10 amps for equipment van)
- 5. Radio direction finder
- 6. Empty freezer and refrigerator in wet lab
- 7. Space on the main deck for one storage van, DSE winch
- 8. Space on the upper deck for two lab vans
- 9. Hand-held VHF transceivers
- 10. Precision depth recorder
- 11. Shackles, sheaves, hooks and lines
- 12. Shipboard Acoustic Doppler Current Profiler
- 13. Thermosalinograph and Fluorometer
- 14. Copy machine
- 15. Grappling hooks and line
- 16. Navlink2 PC or equivalent
- 17. Running fresh water and seawater, hoses
- 18. Electronic mail system
- 19. GPS system
- 20. Uncontaminated seawater supply
- 21. Capstan
- 22. Underway/on-station data acquisition system for meteorological instruments, ADCP, thermosalinograph, fluorometer

6 – 11 Oct., 2005 Ship: R/V KOK

HOT 174 CTD CASTS

	Cast	Samples	#Bottles		
Kahe Pt.					
s1c1	1000 m	O ₂ , Temp, DIC/Alk, Nuts, Chl a, LLN, LLPO ₄ , DOC, FCM, Salts,	24		
Statio	n ALOHA	2 0 0, 1 0.1.2, 0.1.1.0,			
s2c1	200 m	Gas Array (7@5, 25, 45), Salts,	21		
s2c2	200 m	Gas Array (7@75, 100, 125), Salts,	21		
s2c3	700 m	mixing expt. (2@700, 22@30)	24		
s2c4	30 m	mixing expt (24@30)	24		
s2c5	1000 m	PSi, Stal (4 tbd), MC (1@25,75,100,125)	22		
s2c6	1000 m	PE, JB (1@5,200,400,600,800,1000 MC (1@25,75,	100,125) 24		
s2c7	1000 m	HPLC, Chl a, CM (3@30, 1@750)	14		
s2c8	4800 m (PO-1)	O ₂ , Temp, DOC, DIC/Alk, Nuts, Salts, JB	24		
s2c9	1000 m (PO-2)	O ₂ , Temp, Nuts, DIC/Alk, Quay, DOC, Salts, JB	24		
s2c10	1000 m	Open, CM (12@30)	12		
s2c11	1000 m	PC/PN, Salts, Stal (4 tbd)	18		
s2c12	1000 m	PPO4, Salts, MC (1@5,25,45,75,100,150,175)	22		
s2c13	1000 m	ATP, Salts,	15		
s2c14	1000 m	Primary Production, Salts	22		
s2c15	1000 m	Salts,			
s2c16	1000 m	PUR, MC and CM (1@5,25,45,75,100,150,175)	22		
s2c17	1000 m	MIT, MC (1@100,125,150,175)	17		
s2c18	1000 m BEACH)	O ₂ , Temp, DIC/Alk, Nuts, LLN, LLP, DOC, Keeling, Quay, Salts	20		
S2c19	1000 m	Open, MC (1@5,25,45,75), CM(12@30, 3@250)	19		

S2c20 1000 m	Open	
S2c21 4740 m (PO-3)	Oxygen, Salts, JB 1000, 2000, 3000, 4800	12
MOSEAN Mooring 51c1 200 m	Salts	3
WHOTS Mooring S50c1 200 m	Salts	3
Kaena Point s6c1 2500 m	Open, Chl a Salts	13

SHIP R/V Kilo Moana

HOT 174

DATE 6 – 11 Oct., 2005

TIME	Thurs 10/6	Fri. 10/7	Sat. 10/8	Sun. 10/9	Mon. 10/10	Tues. 10/11
0000		S2C1 gas 1	Deploy sed traps	Net tow		Transit Snug
0100						
0200		S2C2 gas 2		S2C14 PP		
0200				S2C14 PP		
0300		S2C3 mix			AC9/FRRF	
0400		Deploy gas array	Recover gas array	S2C15 Stal	Transit sed traps	
0500		Deploy gas array	Recover gas array	52C15 Star		
		S2C4 mix				
0600			S2C8 PO-1	Deploy PP array	Recover sed traps	
0700		CM tow Ramses		CM tow	CM tow Transit St 51	
0800		S2C5 PSi, Stal		S2C16 PUR		Arrive Snug offload
0900	Depart Snug				S51C1	
1000				Net tow	Transit St. 50	
1100		Ramses	S2C9 PO-2 (Begin 36 hour)	S2C17 MIT		
1200	Arrive Kahe Weight cast	PRR AC9/FRRF		Ramses PRR	S50C1 Repair buoy	
1300	PRR S1C1	AC9/FRRF	ATE	AC9/FRRF		
1400	Transit ALOHA		S2C10 Open	S2C18 BEACH		
1500		S2C6 PE			Transit Kaena	
1600						
1700		Ramses	S2C11 PC/PN	S2C19 Open		
1800		S2C7 deep,HPLC		Recover PP array		
1900		доор,ги де		aruj		
2000			S2C12 PPO4	S2C20 Open		
2100						
2200					S6C1 Kaena	
2300	Arrive ALOHA		S2C13 ATP	S2C21 PO-3 (end 36 hours)		

Oct. 9: Sunrise 0626

Sunset 1811

6.0 HOT-174 Bunk assignment/Watch Schedule

0300-1500

Fernando S-Mandujano - Watch Leader Lance Fujieki Steve Tottori Eric Grabowski Ken Doggett

1500-0300

Paul Lethaby - Watch Leader Joseph Shacat Tom Gregory - Chief Scientist Susan Curless Dan Sadler Adriana Harlan

2300 - 1100

Blake Watkins

At Large

Karin Björkman Claire Mahaffey Matt Church John Bullister Dave Wisegarver Lucas Stal Jef Huisman Maayke Stomp Mark Rognstad Sam Laney

STAG

Tim McGovern Gabe Foreman