# Hawaii Ocean Time-series HOT-214 Operational Cruise Plan

Cruise ID: KM 0920

Vessel: R/V *Kilo Moana*, University of Hawaii Master of the Vessel: Captain Brian Wehmeyer Chief Scientist: Paul Lethaby, University of Hawaii

OTG Marine Technicians: Dan Fitzgerald and Vic Polidoro

*Kilo Moana phone number: 842-9817, cell # 864-0065* 

Marine Center phone number: 842-9813

#### 1.0 SCIENTIFIC OBJECTIVES

The objective of the cruise is to maintain a collection of hydrographic and biogeochemical data at the Hawaii Ocean Time-series (HOT) stations. Four stations will be occupied during the cruise, in the following order:

- 1) Station 1, referred to as Station Kahe, is located at 21° 20.6'N, 158° 16.4'W and will be occupied on the first day of the cruise for about 2 hours.
- 2) Station 2, referred to as Station ALOHA is defined as a circle with a 6 nautical mile radius centered at 22° 45'N, 158°W. This is the main HOT station and will be occupied during the 2<sup>nd</sup>, 3<sup>rd</sup>, and 4<sup>th</sup> days of the cruise.
- 3) Station 52, is the site of the WHOTS-6 Mooring, located at 22° 39.989'N, 157° 56.961'W will be occupied on the 4<sup>th</sup> day of the cruise for about one hour.
- 4) Station 6, referred to as Station Kaena, is located off Kaena Point at 21° 50.8'N, 158° 21.8'W and will be occupied on the 4<sup>th</sup> day of the cruise for about 3 hours.

#### 1.1 SCIENTIFIC OPERATIONS

Station	Activities
Kahe (sta. 1) ALOHA (sta. 2)	Weight Cast, PRR cast, Hyperpro cast, CTD cast (1000 m) Sediment traps, gas array, net tows, CTD operations, primary productivity measurements, AC9/FRRf, misc. experiments
WHOTS mooring station (Sta. 52)	One CTD cast (yo-yo to 200 m).
Kaena (sta. 6) Underway/continuous	CTD cast (2400 m) ADCP, thermosalinograph, fluorometry, meteorology

#### 2.0. SCIENCE PERSONNEL

**Participant** 

r ai ucipani	Tiue	Ammanom/mor Group
Tara Clemente	Research Associate	UH/BEACH
Susan Curless	Research Associate	UH/BEACH
Lance Fujieki	Computer Specialist	UH/BEACH
Binglin Li	Graduate Student	UH/BEACH
Dan Sadler	Research Associate	UH/BEACH
Blake Watkins	Marine Engineer	UH/BEACH
Sam Wilson	Post-doc Scientist	UH/CMORE
Jeff Krause	Post-doc Scientist	UCSB
Jane-Anne Sarver	Volunteer	UH/BEACH
Scott Grant	Graduate Student	UH/BEACH
Fernando Santiago-Mandujano	Research Associate	UH/PO
Paul Lethaby	Chief Scientist – Res. Asso	oc. UH/PO
Jefrey Snyder	Marine Technician	UH/PO
Meg Murphy	Research Associate	UH/PO
Matt Archer	Graduate intern	UH/PO
Becky Mabardy	Volunteer	UH/PO
Sarah Yasui	Undergraduate Student	UH/PO
Dan Fitzgerald	Marine Technician	OTG
Vic Polidoro	Marine Technician	OTG

Title

Affiliation/HOT Group

### 3.0. SUMMARY SCHEDULE

10 August	Pre-cruise meeting, MSB 315, 1030 hrs.
15 August	Ship loading starting at 0730 hrs.
17 August	Depart from Snug harbor at 0900 hrs. Science personnel on-board
_	by 0800.
17 August	Station 1 Kahe Pt. operations.
17-20 August	Station ALOHA operations. Station 52 and Kaena CTD casts.
21 August	Arrive back to Snug harbor. ETA 0800 hrs, full offload.

#### 4.0. OPERATIONAL PLANS

### 4.1. Station Kahe (21°20.6'N, 158°16.4'W)

A 1000 lb. weight-test cast, one CTD cast to 1000 m, a PRR cast and a Hyperpro cast (Sect. 4.2.7) will be conducted at this location on August 17<sup>th</sup>. The CTD winch and crane will be required for these operations. After the operations are satisfactorily completed, the ship shall proceed to Station ALOHA.

# 4.2. Station ALOHA (22°45'N, 158°W with 6 nm radius)

4.2.1. Upon arrival to Station ALOHA, the sediment traps will be deployed. After the sediment trap deployment is complete, one 200-m and one 1000-m cast will be conducted before deploying the Primary Productivity array (Sect. 4.2.3). These operations will be followed by a near-bottom CTD cast.

### 4.2.2. Sediment trap array deployment

Upon arrival to Station ALOHA, the floating sediment traps will be deployed at a location within Station ALOHA, to be determined enroute to ALOHA by local current conditions. The array will be deployed from the stern using the A-frame and the Sea-Mac winch. Power requirement for the winch is 440 VAC, three phase at 10 amps. After deployment we request that the Bridge verify that the radio transmitters are functioning and directionally correct.

The array will drift for about 53 hours before recovery. The array is equipped with 2 ARGOS satellite transmitters (platform #'s 01833, 60481), 2 strobe lights, and 2 radio transmitters (channel 72, 156.625 MHz). Daily positions of the array shall be transmitted by email directly to the ship (argosfix@km.soest.hawaii.edu, password: argosfix), therefore the ship will **not** need to keep within site of the array until the time of the recovery. Assistance from the bridge is requested in plotting the drift track of the array. We request the use of the ship's radio direction finder for locating the array before recovery.

After deployment of the sediment trap array, the ship shall continue with CTD cast operations to prepare water for the Primary Productivity Array.

### 4.2.3 Primary production experiment

Samples for the primary productivity experiment will be collected from the rosette. Before dawn (sunrise 0610 hrs on August 18<sup>th</sup>), a free drifting incubation array will be deployed from the stern. We request the use of the A-frame for this operation and will also use the Sea-Mac winch. The array is equipped with two ARGOS satellite transmitters (platform #'s 03028, 60482, emailing positions to argosfix@satellite-email.com, password: argosfix), strobe lights and a radio transmitter (channel 68, 156.425 MHz). The **ship shall keep within site of the array** while performing CTD operations for the last 6 hours of the approximately 12-hour time the array will be in the water unless the array drifts outside of the ALOHA circle. If the array drifts out of the circle, the ship should return inside the circle to conduct CTD casts, and the monitoring of the array will be coordinated with the watch leader. The array will be recovered just at sunset (1901 hrs). CTD operations shall continue after recovery. All radioactive waste generated by the experiment shall be returned to the University of Hawaii. Only qualified personnel shall handle radioactive material.

#### 4.2.4. Water column measurements

Vertical profiles of temperature, conductivity and dissolved oxygen will be made with an instrument package consisting of a Sea-Bird CTD attached to a 24-place rosette with 12 liter sampling bottles. We will need the ship's CTD winch and crane for these operations. Water samples for biogeochemical measurements will also be collected on each cast. The cast after the deployment of the primary productivity array shall be made to the near bottom (approximately 4740 m). Following this cast, a series of 1000-m casts shall be made continuously every 3 hours for a 36-hour period, ending with a second near-bottom cast. It is highly desired that this burst sampling be done without interruption and we request the ship to maintain position within the study area for that period of time, and repositioning to the center of the Station before each cast whenever possible.

Whenever pumping of the ship's tanks is needed, it must be conducted outside the circle that defines station ALOHA (Sect. 1.0). To avoid disruptions in the schedule, this operation should be coordinated with the chief scientist or the watch leaders (**Dan Sadler**, **Fernando Santiago-Mandujano**).

### 4.2.5. Gas Array deployment

A second free drifting incubation array will be deployed the third day of the cruise at ALOHA station. Samples for the gas array will be collected from CTD cast 9. We request the use of the small starboard crane for the gas array deployment, and will also use the Sea-Mac winch. The array is equipped with two ARGOS satellite transmitters (platform #'s 03028, 60482), emailing positions to argosfix@satellite-email.com, password: argosfix), a strobe light and a radio transmitter (channel 68,

156.425 MHz). The ship will **not** need to keep within sight of the array until the time of the recovery, approximately 24 hours after its deployment. CTD operations shall continue after the recovery.

#### 4.2.6. Zoo net tows

A plankton net will be deployed from the stern and shall be towed for half-hour periods. Half-hour periods are scheduled around noon and two consecutive half-hour periods at midnight on the second, third, and fourth days (see schedule) with a total of eight available slots to accommodate cancellations due to sea state or other unforeseen problems. The A-frame and capstan will be needed for this operation. B. Watkins will be in charge of these operations.

#### 4.2.6.1 Hand net tows

The hand held surface net tows will be deployed off the stern for about 15-20 minutes at various times during the cruise. The ships deck equipment is not needed for this operation. We request that the ship remain stationary during these tows. Binglin Li and Sam Wilson will all be conducting these tows.

# 4.2.7. Profiling Reflectance Radiometer (PRR) and Hyperpro

Around noon on the first, third and fourth days, a profiling reflectance radiometer will be deployed from the main deck using the A-frame. The instrument is hand-lowered and retrieved with assistance from the winch. Once the PRR cast is complete, the Hyperpro will be deployed and recovered in the same manner as the PRR.

#### 4.2.8. AC9/FRRf

The Wet Labs AC9 is an optical instrument that measures water column spectral absorption and attenuation at nine wavelengths. The AC9 package also includes a Fast Repetition Rate Fluorometer (FRRf), and a Sea-Bird Seacat with temperature, conductivity, fluorometer, and pressure sensors. The package will be deployed to a target depth of 250 m at a constant speed of 10 m/min during the downcast and upcast. The A-frame and capstan will be needed for this operation.

### 4.3 Floating sediment trap recovery

In the morning of August 20th, after the AC9/FRRf cast has been completed, we shall transit for the recovery of the floating sediment trap array. The A-frame and the Sea-Mac winch will be needed to retrieve the sediment trap array. After the array is recovered, the ship shall transit to recover the Gas Array. After the array is recovered, the ship shall transit to Station ALOHA to conduct one PRR cast, and two AC9/FRRf casts, after which the ship shall transit to Station 52 to conduct one CTD cast.

### 4.4 WHOTS-6 Mooring (Station 52)

One 200-m CTD yo-yo cast with at least 6 full cycles will be conducted near the WHOTS mooring on August 20th. This cast should be conducted downwind, downcurrent, and about 200 m from the mooring. The nominal position of the mooring is 22°39.989'N, 157°56.961'W.

After these operations are completed, the ship will transit back inside the St. ALOHA circle to complete optical casts.

# 4.5 Station Kaena (21° 50.8'N, 158° 21.8'W)

A near-bottom CTD cast (~2500 m) will be conducted at this location in the evening of August 20th, after which the ship shall return to Snug harbor.

### 4.6 Acoustic Doppler Current Profiler

The ship's acoustic Doppler current profiler (ADCP) will be in operation during the duration of the cruise. The OTG electronics technician will be in charge of the ADCP system.

### 4.7 Thermosalinograph, pCO<sub>2</sub> system, and Fluorometer

The ship's thermosalinograph,  $pCO_2$  system and fluorometer sampling the uncontaminated seawater supply system will be in operation during the duration of the cruise while the ship is outside of Snug harbor. Salinity samples to calibrate the thermosalinograph will be taken from the intake hose at 4-hour intervals throughout the duration of the cruise by the science personnel. The OTG electronics technician will be in charge of the thermosalinograph and fluorometer operations.

### 5.0 EQUIPMENT

# 5.1 The HOT science party shall be bringing the following

- 1. Seabird CTD system, all sensors, deck boxes and computer CTD acquisition systems
- 2. Rosette and 24 12-1 water sampling bottles, all spare parts
- 3. Two laboratory vans with assorted equipment for radioisotope and general use.
- 4. Distilled, deionized water and all required chemicals and isotopes
- 5. Storage van with assorted equipment (main deck)
- 6. Large vacuum waste container
- 7. Liquid nitrogen dewer
- 8. Drifting sediment trap array with strobe lights, satellite and radio transmitters, floats, weights
- 9. Kevlar line, polypropylene line
- 10. Sediment traps and crosses
- 11. Drifting primary production array and gas array with light and radio transmitter, floats, weights, polypro. Line, spare buoy, etc.
- 12. PRR and other optical measuring instruments.
- 13. Oxygen titration system
- 14. Plankton nets and towing lines
- 15. Desktop and laptop personal computers
- 16. Assorted tools
- 17. All required sampling bottles.
- 18. Deck incubation system
- 19. Pertinent MSDS

### 5.2. We will need the use of the following ship's equipment:

- 1. A-frame
- 2. A-frame block assembly
- 3. Appleton crane and winch with conducting wire for CTD
- 4. Electric power for winches (440 VAC, 3 phase, 60 Amp breaker) and vans (208 VAC single phase at 60 amps for labvan, 110 VAC 10 amps for equipment van)
- 5. Radio direction finder
- 6. Space on the main deck for one storage van
- 7. Space on upper deck for one lab van port side, and one van starboard side
- 8. Space on upper deck for incubators
- 9. Hand-held VHF transceivers
- 10. Precision depth recorder
- 11. Shackles, sheaves, hooks and lines
- 12. Shipboard Acoustic Doppler Current Profiler
- 13. Thermosalinograph, pCO2 system, and Fluorometer
- 14. Copy machine
- 15. Grappling hooks and line
- 16. Navlink2 PC or equivalent
- 17. Running fresh water and seawater, hoses
- 18. Electronic mail system
- 19. GPS system
- 20. Uncontaminated seawater supply
- 21. Small capstan (~ 10 m/min)
- 22. Underway/on-station data acquisition system for meteorological instruments, ADCP, thermosalinograph, fluorometer, *p*CO2

- 23. OTG's 24-place rosette, and 24 12-l water sampling bottles (to be used as spare)
- 24. Pinger (to be used as spare)
- 25. 1000 lb weight.
- 26. Remote CTD decibar pressure display in the winch operator cabin.
- 27. Large Sea-Mac winch (Mod. 1025 EHS). 60 Amp Hubbel plug/connector (440 VAC, 3 phase, 60 Amp breaker)

	Cast	Samples	#Bottles		
Kahe Pt.					
s1c1	1000 m	O <sub>2</sub> , Temp, DIC/Alk, Nuts, Chl a, LLN, LLPO <sub>4</sub> , DOC, FCM, Salts	24		
	n ALOHA	CHONE (SOAS SOAS SOAS AWAACS)	10		
s2c1	200 m	CMORE(5@25, 5@45, 5@75), SW(4@5)	19		
s2c2	1000 m 22	Primary Production, Salts,			
		MB(pb on all depths)			
s2c3	4740 m (PO-1)	O <sub>2</sub> , Temp, DOC, DIC/Alk, Nuts, Salts	24		
s2c4	1000 m (PO-2)	O <sub>2</sub> , Temp, Nuts, DIC/Alk, DOC, Salts	24		
s2c5	1000 m	PC/PN, Salts	14		
s2c6	1000 m	PPO4, Salts, BL(2@25, 2@45)	18		
s2c7	1000 m (BEACH)	O <sub>2</sub> , Temp, DIC/Alk, Nuts, LLN, LLP,DOC, Keeling, Quay, Salts	23		
s2c8	1000 m	PUR, CMORE(5@1000,5@770,5@500), Salts	24		
s2c9	1000 m	Gas Array (2@5,25,45,75,100,125), MB(1@175,150,125,100,75,45,25,	5,5) 22		
s2c10	1000 m	CMORE(5@125,5@200), Salts	12		
s2c11	1000 m	PSi, MC(5,25,45,75,100,125,150,175), Salts SW(1@15,35,55,65,85,110),SW(pbMC)	24		
s2c12	1000 m	MIT, Salts, BL(2@75, 2@125), PO substandard 6@1020	21		
s2c13	1000 m	ATP, SW(1@200,300,400,500, 600,700,800,900,1000), MC(200,300,500,770), Salts	24		
s2c14	1000 m	PE, MC(5,25,45,75,100,125,150,175), SW(pb MC), Salts	22		
s2c15	1000 m	HPLC, Chl a, Slides, Salts	22		
s2c16	4740 m (PO-3)	Oxygen, MC(1000,2000,3000,4000), SW(1@5,15,25,35,45,55,75,100,125,150), Salts	22		
WHO' S50c1	TS Mooring 200 m yo-yo	BL( 3@ 5,25,45,75,100,125,150,175)	24		
Kaena S6c1	2400 m	Chl, Salts	13		

MC=Matt Church, SW=Sam Wilson, BL=Binglin Li, MB=Mark Brzezinski

SHIP R/V KILO MOANA Date: Aug 17 – Aug 21, 2009 **HOT 214** 8/17 8/18 TIME | Mon. Tues. Wed. 8/19 Thurs. 8/20 Fri. 0000 S2C1 0100 Net Tow PP S2C2 0200 S2C9 Gas 0300 AC9/FRRF 0400 Deploy PP Array Deploy Gas Array Transit sed traps 0500 S2C3 PO-1 S2C10 Open Recover traps Transit gas array 0600 Recover gas array 0700 Transit St. 52 S52C1 WHOTS 0800 PSi S2C11 Arrive Snug Transit St. ALOHA 0900 Depart Snug 1000 Net Tow AC9/FRRF Net Tow 1100 S2C4 PO-2 S2C12 MIT AC9/FRRF Kahe Weight cast (Begin 36 hr) 1200 Net Tow PRR PRR PRR Hyperpro Hyperpro AC9/FRRF 1300 Hyperpro S1C1 1400 S2C5 PC/PN S2C13 ATP 1500 Transit ALOHA 1600 Transit St. Kaena S2C6 PPO4 1700 S2C14 PE 1800 1900 Recover PP array S2C7 BEACH 2000 S2C15 HPLC 2100 S6C1 2200 Net Tow Net Tow 2300 Arrive ALOHA S2C8 PUR S2C16 PO-3 Deploy sed traps (end 36 hours) Transit Snug

August 18: Sunrise 0610, Sunset 1901

# 6.0 HOT-214 Watch Schedule

# 0300-1500

Dan Sadler - Watch Leader - Water Boss Lance Fujieki - Tag Jay Wheeler - Tag Fernando Santiago-Mandujano - Console Meg Murphy Sarah Yasui

# 1500-0300

Susan Curless - Water Boss
Tara Clemente - Watch Leader - Tag
Paul Lethaby - Chief Scientist - Console
Jefrey Snyder - Tag
Matt Archer - Alt Tag
Jane-Anne Sarver
Scott Grant

# 0900-2100

Becky Marbardy

# At Large

Binglin Li Blake Watkins - *Alt Tag* Sam Wilson - *Alt Tag* Jeff Krause

# **OTG**

Dan Fitzgerald Vic Polidoro